

# **OUTDOOR FIREPLACES**

WOOD | GAS | FIREBOXES







#### LITERATURE

Item No	Description	Retail
00899	Carol Rose Outdoor Fireplaces	N/C
00972	Carol Rose Outdoor Linear Fireplaces	N/C
785473M	Superior WRE 3000 Pro Series	N/C
785471M	Superior WRE 4500 Custom Series	N/C
785470M	Superior WRE 6000 Signature Series	N/C
785724M	Superior VRE 3200 VF Fireplace	N/C
785704M	Superior VRE 4600 VF Linear Fireplace	N/C
785723M	Superior VRE 4200 VF Firebox	N/C
785482M	Superior VRE 4500 VF Firebox	N/C
785481M	Superior VRE 6000 VF Firebox	N/C
785692M	Superior Mega-Flame VF Gas Logs	N/C

# **TABLE OF CONTENTS**

GAS FIREPLACES
Carol Rose Linear78
Carol Rose Linear See-Through79
Superior VRE 3200 Traditional80
Superior VRE 4600 Linear81
GAS FIREBOXES
Carol Rose 36" & 42"76
Superior Fireboxes Full View77
GAS LOGS & LOG LIGHTERS
GAS LOGS & LOG LIGHTERS  Hargrove Gas Logs87
Hargrove Gas Logs87
Hargrove Gas Logs87 Superior Mega-Flame Gas Logs88
Hargrove Gas Logs87 Superior Mega-Flame Gas Logs83 Dante Log Lighters & Key Valves88



Select one Ventless Outside Firebox, Loft Series Contemporary Burner or Wildwood Log Set w/Harmony Burner to make a complete fireplace. For Outdoor Use Only.

#### **36" VENTLESS OUTSIDE FIREBOX**

Item No	Description	Retail
OP36FB2MF		\$1,199
	(Framing Dimensions: 36"H x 41" W x 19 ¼"D)	

#### **LOFT SERIES CONTEMPORARY BURNER**

Includes Variable Remote Control

Item No	Description	BTU	Retail
OLI24N	24" Loft IPI Burner, NG	36,000	\$1,209
OLI24P	24" Loft IPI Burner, LP	36,000	\$1,209

## **WILDWOOD REFRACTORY LOGS & BURNERS**

Item No	Description		Retail
OLX24WR	24" Wildwood Logs (Requires Harmony Burner)	7 Pieces	\$349
ONI24N	24" Harmony Burner, Intermittent Ignition, NG (Includes Variable Remote Control. Requires Wildwood Log Set.)	50,000 BTU	\$1,219
ONI24P	24" Harmony Burner, Intermittent Ignition, LP (Includes Variable Remote Control, Requires Wildwood Log Set.)	50,000 BTU	\$1,219

# **ACCESSORIES**

Item No	Description	Retail
BD36SS	36" SS BI-Fold Glass Doors (Cannot be used with SS Weather Door)	\$499
WD36SS	36" SS Weather Door (Cannot be used with SS Bi-Fold Door)	\$259
DT36SS	36" SS Drain Tray	\$319



Bi-Fold Glass Doors, BD36SS



Weather Door, WD36SS



Loft IPI Burner OLI24N/P



Wildwood Log Set, OLX24WR



Select one Ventless Outside Firebox, Loft Series Contemporary Burner or Wildwood Log Set w/Harmony Burner to make a complete fireplace. For Outdoor Use Only.

#### **42" VENTLESS OUTSIDE FIREBOX**

Item No	No Description	
OP42FB2MF	42" Outdoor Ventless Firebox with Stainless Steel Front, Hood, Mesh Screen, & Refractory Brick	\$1,299
	(Framing Dimensions: 36"H x 45"W x 19 ¼"D)	

# **LOFT SERIES CONTEMPORARY BURNER**

Includes Variable Remote Control

Item No	Description	вти	Retail
OLI30N	30" Loft IPI Burner, NG	40,000	\$1,279
OLI30P	30" Loft IPI Burner, LP	40,000	\$1,279

# **WILDWOOD REFRACTORY LOGS & BURNERS**

Item No	Description	Pieces	Retail
OLX30WR	30" Wildwood Logs (Requires Harmony Burner)	7 Pieces	\$389
ONI30N	30" Harmony Burner, Intermittent Ignition, NG (Includes Variable Remote Control. Requires Wildwood Log Set.)	50,000 BTU	\$1,289
ONI30P	30" Harmony Burner, Intermittent Ignition, LP (Includes Variable Remote Control. Requires Wildwood Log Set.)	50,000 BTU	\$1,289

#### **ACCESSORIES**


Item No	Description	Retail
BD42SS	42" SS BI-Fold Glass Doors (Cannot be used with SS Weather Door)	\$589
WD42SS	42" SS Weather Door (Cannot be used with SS Bi-Fold Door)	\$289
DT42SS	42" SS Drain Tray	\$389



Bi-Fold Glass Doors, BD42SS



Weather Door, WD42SS



Loft IPI Burner OLI30N/P



Wildwood Log Set, OLX30WR



Carol Rose Linear Fireplaces are built of stainless steel construction, an integrated LED lighting system and a concealed gas burner beneath a large bed of clear-frost crushed glass. A tilt-up cover conceals all controls, including push button ignition and flame control (now with High, Medium and Low) plus an intuitive button to control the changing pattern and color of the LED lighting. For Outdoor Use Only.

Select one Linear Fireplace and Accent LED Glass (decorative glass may be added to area surrounding burner) to make a complete fireplace. See below for framing dimensions.

#### LINEAR OUTDOOR FIREPLACE

Item No	Description	BTU's	Retail
OLL48FP12SN	48" Linear Outdoor Ventless Fireplace, NG	55,000	\$3,149
OLL48FP12SP	48" Linear Outdoor Ventless Fireplace, LP	55,000	\$3,149
OLL60FP12SN	60" Linear Outdoor Ventless Fireplace, NG	65,000	\$4,019
OLL60FP12SP	60" Linear Outdoor Ventless Fireplace, LP	65,000	\$4,019

# **ACCENT LED GLASS** (Required) (Translucent) (8 sq ft required for 48" Unit, 10 sq ft required for 60" Unit)

Item No	Description	Retail
DG1CLF	Crushed Glass, Clear Frost (1 sq ft)	\$64
DG1BZR	Crushed Glass, Bronze (1 sq ft)	\$64
DG1BCR	Crushed Glass, Copper (1 sq ft)	\$64

# **DECORATIVE GLASS** (May be used in addition to crushed glass as an accent only. Do not add more than 1 bag - 1 sq ft.)


Item No	Description	Retail
DG1AB**	Glass Droplets ½", Aqua Blue	\$35
DG1GC	Glass Droplets 1/2", Glacier Ice	\$35
DG1SL*	Glass Droplets ½", Sangria Luster	\$35
DG1TZC*	Glass Drop 1", Topaz Clear	\$89
DG1NXS	Glass Drop 1", Onyx	\$53
DG1BKP	Crushed Glass, Black Polished	\$64
DG1BUC	Crushed Glass, Blue Clear	\$64

#### **OPTIONS**

Item No	Description	Retail
DT48LSS	Drain Tray, Linear, SS (48" & 60")	\$309
WD48LSS	Weather Door, 48" Linear, SS	\$239
WD60LSS	Weather Door, 60" Linear, SS	\$299
WG48LT1	Wind Guard 7"H, 48" Linear (Taller for windy applications)	\$209
WG60LT1	Wind Guard 7"H, 60" Linear (Taller for windy applications)	\$249

# \* Special Order \*\* While Supplies Last FRAMING DIMENSIONS

Model	Framing Height	Framing Width	Framing Depth
OLL48FP	40 13/16"	52"	19 1/16"
OLL60FP	31"	64"	19 1/4"



Carol Rose Linear Fireplaces are built of stainless steel construction, an integrated LED lighting system and a concealed gas burner beneath a large bed of clear-frost crushed glass. A tilt-up cover conceals all controls, including push button ignition and flame control (now with High, Medium and Low) plus an intuitive button to control the changing pattern and color of the LED lighting. For Outdoor Use Only.

Select one Linear See-Through Fireplace and Accent LED Glass (decorative glass may be added to area surrounding burner) to make a complete fireplace. See below for framing dimensions.

#### LINEAR SEE-THROUGH OUTDOOR FIREPLACE

Item No	Description	BTU's	Retail
OLL48SP12SN	48" Linear See-Through Outdoor Ventless Fireplace, NG	55,000	\$3,369
OLL48SP12SP	48" Linear See-Through Outdoor Ventless Fireplace, LP	55,000	\$3,369
OLL60SP12SN	60" Linear See-Through Outdoor Ventless Fireplace, NG	65,000	\$4,369
OLL60SP12SP	60" Linear See-Through Outdoor Ventless Fireplace, LP	65,000	\$4,369

# **ACCENT LED GLASS** (Required) (Translucent) (8 sq ft required for 48" Unit, 10 sq ft required for 60" Unit)

Item No	Description	Retail
DG1CLF	Crushed Glass, Clear Frost (1 sq ft)	\$64
DG1BZR	Crushed Glass, Bronze (1 sq ft)	\$64
DG1BCR	Crushed Glass, Copper (1 sq ft)	\$64

# **DECORATIVE GLASS** (May be used in addition to crushed glass as an accent only. Do not add more than 1 bag - 1 sq ft.)

Item No	Description	Retail
DG1AB**	Glass Droplets ½", Aqua Blue	\$35
DG1GC	Glass Droplets 1/2", Glacier Ice	\$35
DG1SL*	Glass Droplets 1/2", Sangria Luster	\$35
DG1TZC*	Glass Drop 1", Topaz Clear	\$89
DG1NXS	Glass Drop 1", Onyx	\$53
DG1BKP	Crushed Glass, Black Polished	\$64
DG1BUC	Crushed Glass, Blue Clear	\$64

### **OPTIONS**

Item No	Description	Retail
DT48LSS	Drain Tray, Linear, SS (48" & 60")	\$309
WD48LSS	Weather Door, 48" Linear, SS (1 Side Only, Requires 2)	\$239
WD60LSS	Weather Door, 60" Linear, SS (1 Side Only, Requires 2)	\$299
WG48LT1	Wind Guard 7"H, 48" Linear (Taller for windy applications) (1 Side Only, Requires 2)	\$209
WG60LT1	Wind Guard 7"H, 60" Linear (Taller for windy applications) (1 Side Only, Requires 2)	\$249

<sup>\*</sup> Special Order \*\* While Supplies Last

# FRAMING DIMENSIONS

Model	Framing Height	Framing Width	Framing Depth
OLL48SP	40 13/16"	52"	22 5/16"
OLL60SP	31"	64"	22 1/2"



The VRE3200 Series brings together rugged stainless steel components and easy installation for reliable outdoor use. These fireplaces come standard with a 28 ½" tall opening, detailed ceramic fiber logs, stainless steel grate and burner, hidden battery operated electronic ignition control, wireless remote control and choice of White Stacked or White Herringbone refractory liners and floor.

#### **VENT-FREE FIREPLACE**

Item No	Description	Retail
VRE3236ZENWS	36" Outdoor Fireplace w/White Stacked Refractory Panels, NG	\$2,294
VRE3242ZENWS	42" Outdoor Fireplace w/White Stacked Refractory Panels, NG	\$2,498
VRE3236ZENWH	36" Outdoor Fireplace w/White Herringbone Refractory Panels, NG	\$2,345
VRE3242ZENWH	42" Outdoor Fireplace w/White Herringbone Refractory Panels, NG	\$2,549

## **OPTIONS**

Item No	Description	Retail
DPSS36	36" Drain Pan	\$195
DPSS42	42" Drain Pan	\$239
WC36SL	36" Outdoor Weather Cover, Stainless Steel	\$249
WC42SL	42" Outdoor Weather Cover, Stainless Steel	\$286
HOOD36ODSL	36" Outdoor Hood Kit, Brushed Stainless Steel	\$183
HOOD42ODSL	42" Outdoor Hood Kit, Brushed Stainless Steel	\$225
GCKSLLXNP	Conversion Kit, NG to LP (For use with 36" and 42" units)	\$41
FDVS	Decorative Volcanic Stone	\$19



White Stacked Refractory Panel



White Herringbone Refractory Panel



Weather Cover

	Gas			IVIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	i Framing Dim	ensions.
Unit	Knockout	BTU's	Fireplace Opening	Width	Height	Depth
VRE3236	Both Side	30,000-45,000	37"W x 28 ½"H x 17"D	42 ¾"	46 ½"	20 ½"
VRE3242	Both Side	30,000-45,000	43"W x 28 ½"H x 17"D	48 ¾"	46 ½"	20 ½"

<sup>\*</sup> Consult a manual for complete installation requirements.



Units ship in a single-sided configuration with see-through kit included. A linear design, these units include adjustable LED interior lights, Diamond Crystal large crushed glass media. Customers can customize with optional Onyx Black and Sapphire Blue Crystal crushed glass media and a remote control. For Outdoor Use Only.

#### **VENT-FREE LINEAR FIREPLACE**

Item No	Description	Retail
VRE4636ZEN*	36" VF Linear Fireplace, Electronic Ignition, NG	\$3,490
VRE4648ZEN	48" VF Linear Fireplace, Electronic Ignition, NG	\$3,957
VRE4660ZEN	60" VF Linear Fireplace, Electronic Ignition, NG	\$4,423
VRE4672ZEN	72" VF Linear Fireplace, Electronic Ignition, NG	\$5,586

# **GLASS MEDIA** (Optional - 5 lb bag)

Item No	Description	Retail
GLO-BLACK	Crushed Glass, Large Onyx Black	\$66
GLO-CRYSTAL	Crushed Glass, Large Diamond Crystal	\$66
<b>GLO-SAPPHIRE</b>	Crushed Glass, Large Sapphire Blue	\$66

# **REMOTE CONTROLS** (Optional)

Item No	Description	Retail
EF-BRCK	Remote, On/Off, High/Low Electronic	\$121
EF-WWRCK	Remote, Wireless Wall Mount, On/Off, High/Low Electronic	\$121

# **WEATHER COVER** (Optional)

Item No	Description	Retail
BLWS36*	36" Stainless Steel Outdoor Weather Cover	\$423
BLWS48	48" Stainless Steel Outdoor Weather Cover	\$557
BLWS60	60" Stainless Steel Outdoor Weather Cover	\$707
BLWS72	72" Stainless Steel Outdoor Weather Cover	\$852

#### **CONVERSION KITS**

Item No	Description	Retail
LPK1*	36" Conversion Kit, Electronic NG to LP	\$50
LPK2	48" Conversion Kit, Electronic NG to LP	\$50
LPK3	60" Conversion Kit, Electronic NG to LP	\$50
LPK4	72" Conversion Kit, Electronic NG to LP	\$50

\*Special Order

Gas

Unit	Knockout	BTU's	Fireplace Opening	Width	Height	Depth
VRE4636ZEN	Bottom	18,500-31,000	36"W x 16"H	40 ½"	37 ¾"	16 ¼" Single / 15" See-Through
VRE4648ZEN	Bottom	24,500-43,500	48"W x 16"H	52 ½"	37 ¾"	16 ¼" Single / 15" See-Through
VRE4660ZEN	Bottom	36,000-50,000	60"W x 16"H	64 ½"	37 ¾"	16 ¼" Single / 15" See-Through
VRE4672ZEN	Bottom	42,000-65,000	72"W x 16"H	76 ½"	37 ¾"	16 ¼" Single / 15" See-Through

<sup>\*</sup> Consult a manual for complete installation requirements.

**Minimum Framing Dimensions\*** 



The VRE4200 Series outdoor vent-free firebox offers a durable and attractive stainless steel appearance that is right at home in any outdoor living space. The firebox's refractory brick panels are molded from actual hand-cut firebrick in a traditional stacked or herringbone pattern. Combine with a variety of vent-free gas logs for a beautiful customized fireplace that will provide years of carefree outdoor living enjoyment. 28" Tall Opening. 36" Unit uses 24" Log Set, 42" Unit uses 30" Log Set. For Outdoor Use Only.

# VENT-FREE FIREBOX (Giant Timber Logs Sold Separately. See page 83 for Log Set.)

Item No	Description	Retail
VRE4236WS	36" Full View Fireplace, White Stacked Refractory Panels	\$1,070
VRE4242WS	42" Full View Fireplace, White Stacked Refractory Panels	\$1,274
VRE4236WH	36" Full View Fireplace, White Herringbone Refractory Panels	\$1,121
VRE4242WH	42" Full View Fireplace, White Herringbone Refractory Panels	\$1,325

#### **OPTIONS**

Item No	Description	Retail
DPSS36	36" Drain Pan (Increases framing height by ¾")	\$195
DPSS42	42" Drain Pan (Increases framing height by ¾")	\$239
HOOD36ODSL	36" Outdoor Hood Kit, Brushed Stainless Steel	\$183
HOOD42ODSL	42" Outdoor Hood Kit, Brushed Stainless Steel	\$225
OAK-UVFRC	Outside Air Kit with Duct (For use with 36" & 42" units)	\$55

# FRAMING DIMENSIONS

Model	Framing Height Framing Width		Framing Height Fra	Framing Width Framing Dep	
VRE4236	46 1/2"	42 3/4"	20 1/2"		
VRE4242	46 1/2"	48 3/4"	20 1/2"		



White Stacked Refractory Panel



White Herringbone Refractory Panel

# **MEGA-FLAME**

# Vent-Free & Vented Dual Rated Gas Logs



#### MEGA-FLAME OUTDOOR GAS LOGS

Select the 24", 30" or 36" logs with a like size burner to complete your log set. Millivolt models are remote ready. Electronic models include a variable remote control. 24" sets are designed for large 36" fireboxes. 30" sets are designed for larger 42" fireplaces. 36" sets are designed for a 48" and larger firebox.

Select a Log Set (using 2 part numbers ending with TA + TB) and a Burner to make a complete log set.

#### **LOG SETS**

(Choose 2 - TA & TB of the same name/size, Requires Burner)		<b>Burner Size</b>	
Item No	Description	Required	Retail
LMF24GTA	Giant Timbers 24" VF Logs, Concrete (1 of 2)	24"	\$175
LMF24GTB	Giant Timbers 24" VF Logs, Concrete (2 of 2)	24"	\$175
LMF30GTA	Giant Timbers 30" VF Logs, Concrete (1 of 2)	24"	\$199
LMF30GTB	Giant Timbers 30" VF Logs, Concrete (2 of 2)	24"	\$199
LMF36GTA	Giant Timbers 36" VF Logs, Concrete (1 of 2)	30"	\$221
LMF36GTB	Giant Timbers 36" VF Logs, Concrete (2 of 2)	30"	\$221



Giant Timbers, Concrete

# **BURNERS** (Requires Log Set)

Item No	Description	Retail
MNF24ONE	24" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - NG	\$1,396
MNF24OPE	24" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - LP	\$1,396
MNF240NM*	24" Millivolt, VF Ember Bed Stainless Burner - NG	\$1,199
MNF24OPM*	24" Millivolt. VF Ember Bed Stainless Burner - LP	\$1.199

Item No	Description	Retail
MNF300NE	30" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - NG	\$1,525
MNF300PE	30" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - LP	\$1,525
MNF300NM*	30" Millivolt, VF Ember Bed Stainless Burner - NG	\$1,327
MNF300PM*	30" Millivolt, VF Ember Bed Stainless Burner - LP	\$1,327

### **OPTIONAL ACCESSORIES**

Item No	Description	Retail
LAMF	Accessory Log Kit for Giant Timbers	\$175
<del>VTA-LS5-1</del>	<del>Log Scraps, Floor Media Kit</del>	<del>\$53</del>
<del>VTA-LS5-2</del>	Log Scraps, Floor Media Kit	<del>\$53</del>
FDVS	Decorative Volcanic Stone	\$19
<del>CDABKA</del>	<del>Decorative Ash Bed / Control Cover Kit</del>	<del>\$53</del>
FM100	Floor Media Kit (Includes Lava Rock/Embers/Cinders)	<del>\$60</del>
GA6080	Damper Clamp (Required in vented applications)	\$14
GA6050	Black Fireplace Hood	\$118
SKY-1001-A	Remote Control ON/OFF (for Millivolt burners)	\$148



Accessory Log Kit for Giant Timbers (LAMF)



<sup>\*</sup>Special Order



# **SPECIFICATIONS** Uses 8DM 1700° chimney. See page 89.

- Radiant smooth-faced
- Refractory white stacked or herringbone panels
- Heavy duty stainless steel log grate
- Easy access damper control
- Stainless steel screens retract into hidden screen pockets
- Adjustable outside air damper
- Full length nailing flanges
- Drywall stops
- Dual access pre-wired junction boxes
- Stainless steel construction for long lasting outdoor use

#### **WOOD FIREPLACE** Standard size with refractory panels.

Item No	Description	Retail
WRE3036WS	36" Outdoor Fireplace w/White Stacked Refractory Panels	\$1,381
WRE3042WS	42" Outdoor Fireplace w/White Stacked Refractory Panels	\$1,618
WRE3036WH*	36" Outdoor Fireplace w/White Herringbone Refractory Panels	\$1,501
WRE3042WH*	42" Outdoor Fireplace w/White Herringbone Refractory Panels	\$1,732



White Stacked Refractory Panel

# DOORS (Optional)


Item No	Description	Retail
BDO36	36" Outdoor Bi-Fold Doors, Black	\$219
BDO42	42" Outdoor Bi-Fold Doors, Black	\$241



White Herringbone Refractory Panel

#### **OPTIONS**

Item No	Description	Retail
DP36	36" Drain Pan w/1" Stainless Decorative Face Ext	\$211
DP42	42" Drain Pan w/1" Stainless Decorative Face Ext	\$231
HS36	36" Stainless Steel Hood w/4" Brow	\$133
HS42	42" Stainless Steel Hood w/4" Brow	\$166



Bi-Fold Door, Black

Gas		Minimum	Framing Dime	ensions*	
Unit	Knockout	Fireplace Opening	Width	Height	Depth
WRE3036	Left Side	35"W x 21"H x 14 ¼"D	41 ¾"	41 ¾"	21 ¾"
WRE3042	Left Side	39"W x 24"H x 16 ¼"D	49 ¾"	47 ¼"	23 ½"

<sup>\*</sup> Consult a manual for complete installation requirements.

<sup>\*</sup>Special Order




#### **SPECIFICATIONS** Uses 12DM 1700° chimney. See page 90.

- 30" tall opening with panels extending to the front edge
- Fully insulated firebox
- Heavy duty stainless steel log grate
- Easy access damper control

- Includes stainless steel mesh fire screens
- Stainless steel construction for long lasting outdoor use
- Refractory white stacked or herringbone panels

#### **WOOD FIREPLACE** *X-Large opening with refractory panels.*

Item No	Description	Retail
WRE4536WS	36" Fireplace w/White Stacked Refractory Panels	\$3,400
WRE4542WS	42" Fireplace w/White Stacked Refractory Panels	\$3,600
WRE4550WS	50" Fireplace w/White Stacked Refractory Panels	\$3,800
WRE4536WH*	36" Fireplace w/White Herringbone Refractory Panels	\$3,500
WRE4542WH*	42" Fireplace w/White Herringbone Refractory Panels	\$3,700
WRE4550WH*	50" Fireplace w/White Herringbone Refractory Panels	\$3,900



Item No	Description	Retail
BDG36	36" Bi-Fold Door, Black	\$388
BDG42	42" Bi-Fold Door, Black	\$421
BD50	50" Bi-Fold Door, Black	\$465

<sup>\*</sup>Special Order



White Stacked Refractory Panel



Herringbone Refractory Panel



Bi-Fold Door, Black

#### **Minimum Framing Dimensions\***

Unit	Gas Knockout	Fireplace Opening	Width	Height	Depth
WRE4536	Left Side	36"W x 30" H x 20"D	45 %"	67 1/8"	28 ¼"
WRE4542	Left Side	42"W x 30"H x 23 ½"D	51 %"	67 1/8"	30 1/8"
WRE4550	Left Side	50"W x 30" H x 23 1/4"D	59 ¾"	67 1/8"	30 1/8"

85

<sup>\*</sup> Consult a manual for complete installation requirements.



- 30" tall opening with firebrick extending to the front edge
- Fully insulated firebox
- Heavy duty stainless steel log grate
- Easy access damper control

- Includes stainless steel mesh fire screens
- Stainless steel construction for long lasting outdoor use
- Four refractory firebrick choices

# **WOOD FIREPLACE** *X-Large opening with real kiln fired refractory firebrick.*

Item No	Description	Retai
WRE6036	36" Outdoor Masonry Fireplace (	requires firebrick) \$3,300
WRE6042	42" Outdoor Masonry Fireplace (	requires firebrick) \$3,400
WRE6050	50" Outdoor Masonry Fireplace (	requires firebrick) \$3,500



Ivory Full Stacked Brick

# MASONRY FIREBRICK (Required)

Item No	Description	Retail
MOSAIC36M2-IS	36" Ivory Full Stacked	\$2,400
MOSAIC42M2-IS	42" Ivory Full Stacked	\$2,500
MOSAIC50M2-IS	50" Ivory Full Stacked	\$2,600
MOSAIC36M3-IH	36" Ivory Full Herringbone	\$2,500
MOSAIC42M3-IH	42" Ivory Full Herringbone	\$2,600
MOSAIC50M3-IH	50" Ivory Full Herringbone	\$2,700
MOSAIC36M2-RS	36" Warm Red Full Stacked	\$2,400
MOSAIC42M2-RS	42" Warm Red Full Stacked	\$2,500
MOSAIC50M2-RS	50" Warm Red Full Stacked	\$2,600
MOSAIC36M3-RH	36" Warm Red Full Herringbone	\$2,500
MOSAIC42M3-RH	42" Warm Red Full Herringbone	\$2,600
MOSAIC50M3-RH	50" Warm Red Full Herringbone	\$2,700



Ivory Herringbone Brick



Warm Red Full Stacked Brick



Warm Red Herringbone Brick

# DOORS (Optional)

Item No	Description	Retail
BDMO36E	36" Bi-Fold Door, Ebony	\$726
BDMO42E	42" Bi-Fold Door, Ebony	\$800
BDMO50E	50" Bi-Fold Door, Ebony	\$891

Gas		Minimum	Framing Di	mensions*	
Unit	Knockout	Fireplace Opening	Width	Height	Depth
WRE6036	Right Side	36"W x 30" H x 19"D	45 %"	67 1/8"	30 1⁄8"
WRE6042	Right Side	42"W x 30"H x 21 ¾"D	51 %"	67 1/8"	31"
WRE6050	Right Side	50"W x 30" H x 21 ¾"D	59 ¾"	67 1/8"	31"

<sup>\*</sup> Consult a manual for complete installation requirements.

# **LOGS & OUTDOOR LOG ACCESSORY KIT**

# Refractory Single Side Vented Logs

Choose Log Set and Burner Accessory Kit from below to make a complete set.



Item No	Description	Retail
CLS2406AA	24" Classic Oak Logs	\$198
CLS3007AA	30" Classic Oak Logs	\$271



Item No	Description	Retail
ISS2406AA*	24" Inferno Logs	\$398
ISS3007AA*	30" Inferno Logs	\$505

#### **MAGNIFICENT LOGS**

Item No	Description	Retail
MIS2407AA	24" Magnificent Logs	\$408
MIS3008AA	30" Magnificent Logs	\$509
MIS3610AA	36" Magnificent Logs	\$584

<sup>\*</sup>Special Order







Classic Oak Logs

Inferno Logs



Magnificent Logs

Hargrove Outdoor Log Accessory Kit - Choose a log set above to make a complete set.

## **OUTDOOR VENTED LOG/BURNER ACCESSORY KIT**

Kit Includes: burner pan, grate, large and small cinders, fittings and flex connector. Requires Dante Valve Combo Kit, see page 88.

Item No	Description	Retail
24SNSK0A5	24" Stainless Steel Log Accessory Kit for NG - Matchlight	\$679
30SNSK0A5	30" Stainless Steel Log Accessory Kit for NG - Matchlight	\$726
36SNSK0A5	36" Stainless Steel Log Accessory Kit for NG - Matchlight	\$769



Outdoor Log Accessory Kit

### LP CONVERSION KIT

Item No	Description	Retail
LP24	#41 Orifice LP with 3/8" Air Mixer	\$28
LP3036	#38 Orifice LP with 3/8" Air Mixer	\$28

# **LOG LIGHTERS, VALVES & KEYS**



Gas Lighters provide an easy way to light a wood fire in a fireplace.

#### **New Installation Requires:**

- 1 Valve Combo Pack
- 1 Universal Gas Mixer AND
- 1 Log Lighter Burner Pipe

#### **DANTE VALVE COMBO PACK**

Designed to be used with Log Lighter with Mixing Chamber.

Includes: Dante Valve, Floor Plate, and Ke	У
--	---

Item No	Description	Retail
CP.910.BR	Straight ½" Valve, Brass w/ Key	\$30
CP.910.CR	Straight ½" Valve, Chrome w/ Key	\$30
CP.911.BR	Angled ½" Valve, Brass w/ Key	\$30
CP.911.CR	Angled 1/2" Valve, Chrome w/ Key	\$30
CP.BVS2.CR.B	Straight ¾" Valve, Chrome (Key Not Included)	\$45



#### **UNIVERSAL GAS MIXERS**

Item No	Description	Retail
711.U.LP	Liquid Propane Mixer (approximately 4" in length.)	\$19
711.U.NG	Natural Gas Mixer (approximately 4" in length.)	\$19



Universal Gas Mixer, LP

#### **BURNER PIPES - STAINLESS STEEL**

Item No	Description	Retail
717SS	17" Stainless Steel Burner Pipe	\$22
724SS	24" Stainless Steel Burner Pipe	\$34
730SS	30" Stainless Steel Burner Pipe	\$39



#### **KEYS**

Universal gas key is the perfect tool for controlling gas in your fireplace. Works with 1/4" and 5/16" socket sizes.

Item No	Description	Retail
NKY.3.BR	3" Gas Valve Key, Brass	\$6
NKY.3.CR	3" Gas Valve Key, Chrome	\$6
NKY.8.BR	8" Gas Valve Key, Brass	\$10
NKY.8.CR	8" Gas Valve Key, Chrome	\$10
NKY.12.BR	12" Gas Valve Key, Brass	\$14
NKY.12.CR	12" Gas Valve Key, Chrome	\$14
NKY.18.BR	18" Gas Valve Key, Brass	\$19
NKY.18.CR	18" Gas Valve Key, Chrome	\$19
NKY.24.BR	24" Gas Valve Key, Brass	\$26
NKY.24.CR	24" Gas Valve Key, Chrome	\$26




# **8DM SERIES**Chimney Components



Note: 8" Inside Dimension x 12 %" Outer Dimension

# **CHIMNEY SECTIONS**

Item No	Description	Retail
12-8DM	12" Chimney Section	\$49
18-8DM	18" Chimney Section	\$62
24-8DM	24" Chimney Section	\$81
36-8DM	36" Chimney Section	\$102
48-8DM	48" Chimney Section	\$112



#### **Chimney Section**

# **ELBOW**

Item No	Description	Retail
30E-8DM	30° Elbow (Offset & Return)	\$116



Elbow Offset & Return

#### **SUPPORTS**

Item No	Description	Retail
12S-8DM	Chimney Support (for use with chimney heights in excess of 30')	\$33
38RS	Roof Support (use with flashing)	\$52



Firestop Spacer



# FIRESTOPS/THIMBLE


Item No	Description	Retail
3600FS-8DM-1	Firestop Spacer (1" Clearance)	\$26
30FS-8DM	Firestop Spacer, 30°	\$38
38FST	Firestop Thimble (used when penetrating a joist)	\$53
FST30	Firestop Thimble (used when offsetting through a joist)	\$52



Roof Flashing

## **ROOF FLASHINGS**

Item No	Description	Retail
V6F-8DM	0 to 6/12 Pitch Flashing	\$111
V12F-8DM	6/12 to 12/12 Pitch Flashing	\$148



Round Top w/ Mesh Screen



Square Top w/ Louvers

# **CHIMNEY TOPS/STORM COLLAR**

Item No	Description	Retail
RT-8DM	Round Top w/Mesh Screen	\$68
RTT-8DM	Round Top w/Slip Section & Mesh	\$101
ETL-8DM-K	Square Top w/Slip Section, Black	\$109
SC1-1	Storm Collar	\$24




# **12DM SERIES** Chimney Components



Note: 12 %" Inside Dimension x 15" Outer Dimension

# **CHIMNEY SECTIONS**

Item No	Description	Retail
12-12DM	12" Chimney Section	\$87
18-12DM	18" Chimney Section	\$107
24-12DM	24" Chimney Section	\$138
36-12DM	36" Chimney Section	\$168
48-12DM	48" Chimney Section	\$213



#### **Chimney Section**

# **ELBOW**

Item No	Description	Retail
30E-12DM	30° Elbow (Offset & Return)	\$244





Elbow Offset & Return

#### **SUPPORTS**

Item No	Description		Retail
12S-12DM	Chimney Support	(for use with chimney heights in excess of 30')	\$122





FIRESTOPS/THIMBLE


Item No	Description	Retail
FS-10	Firestop Spacer (2" Clearance)	\$39
30FS-10	Firestop Spacer, 30°	\$39
FST10	Firestop Thimble (used when penetrating a joist)	\$38



Firestop Thimble

# **ROOF FLASHINGS**

Item No	Description	
V6F-10DM	0 to 6/12 Pitch Flashing	\$118
V12F-10DM	6/12 to 12/12 Pitch Flashing	\$150





Item No	Description	Retail
RLT-12DM	Round Top w/Louvered Screen	\$164
STL-12DMP	Square Top w/Slip Section, Black	\$336
STL-12D*	Square Top w/Slip Section	\$310
SC2-1	Storm Collar	\$24





w/ Mesh Screen

Square Top w/ Louvers



<sup>\*</sup>Special Order