

# **READY-TO-FINISH FIRE PIT KITS**

CIRCLE | OCTAGON | RECTANGLE | SQUARE

We offer a variety of ready-to-finish fire pit kits. They are constructed of an aluminum frame with concrete board base, includes a drop in Match-Lit Brass Burner System, flex line kit and vents. All are ready to install and complete on-site with your exterior finish material.

If you are looking for a decorative fire pit kit, check out our variety of styles including classic square, rectangle, circle or octagon. If you have a custom shape or size you would like to have adorn your patio or backyard, we can customize your fire pit kit to fit your needs.

#### **READY-TO-FINISH FIRE PIT KITS**

All Ready to Finish Fire Pits come complete with (1) Pan with 2" Sidewalls, (1) Crossfire™ Brass Burner, (1) Aluminum Frame with Concrete Board attached, (2) Vents, (1) Flex Line, (1) Key Valve, and (1) 12" Key. The pits listed in this section are standard Match Lit Systems. Upgrade to a Push Button Ignition System or a 24V Electronic Ignition System.

## **TABLE OF CONTENTS**

#### READY-TO-FINISH FIRE PIT KITS

6
7
8
0
5


#### **ACCESSORIES**

Lava Rock & Log Sets	52
Fireglass	53
Fire Pit Covers	51
Wind Guards	54

#### **LITERATURE**

Item No	Description	Retail
WTTRI	Warming Trends	N/C
ERFG	Emilyrose Fireglass	N/C

### **CIRCLE FIRE PIT KITS**



### **SPECIFICATIONS** (See page 55 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	<b>Burner Dimensions</b>	Weight
FC42	120,000	42"W x 42"D x 18 ½"H*	24"W	13"L x 13"D	107 lbs
FC54	180,000	54"W x 54"D x 18 ½"H*	30"W	17"L x 15"D	142 lbs
FC60	290,000	60"W x 60"D x 18 ½"H*	36"W	21 ½"L x 21 ½"D	162 lbs
FC72	350,000	72"W x 72"D x 18 ½"H*	48"W	30 ½"L x 30 ½"D	212 lbs

<sup>\*</sup>Front Elevation: 19 ¾" to Top of Burner

- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

### CIRCLE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition and 2 vents. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FC42NG	FC42LP	42" Circle Fire Pit w/ CFB120	36 lbs	120,000	\$2,779
FC54NG	FC54LP	54" Circle Fire Pit w/ CFB180	57 lbs	180,000	\$3,232
FC60NG	FC60LP	60" Circle Fire Pit w/ CFB290	81 lbs	290,000	\$3,823
FC72NG*	FC72LP*	72" Circle Fire Pit w/ CFB350	144 lbs	350,000	\$4,602

#### **UPGRAGED IGNITION SYSTEMS**

<sup>\*</sup>For Covers, see page 51

Item No - NG	Item No - LP	Description	Capacity	Max BTU's	Retail
P24VIK-SCCG-NG*	P24VIK-SCCG-LP*	Electronic Ignition Kit	Standard	290,000	\$1,845
P24VIK-HCCG-NG*	P24VIK-HCCG-LP*	Electronic Ignition Kit	High	512,000	\$1,995
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket (for easy mounting of your PBIK)			\$136

#### **MEDIA & ACCESSORIES**

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1"- 1 ½"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 124K BTU's. For use with a 20 lb LP tank)				





BLR 1" - 1½"

LP Regulator with Hose LPRH

<sup>\*</sup>All RTF Kits with Electronic Ignitions will ship FOB Colorado.

<sup>\*</sup>All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.

For Wind Guards, see page 54.

<sup>\*</sup>Special Order

### **OCTAGON FIRE PIT KITS**







**SPECIFICATIONS** (See page 55 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	<b>Burner Dimensions</b>	Weight
FO42	120,000	42"W x 42"D x 18 ½"H*	24"W	13"L x 13"D	119 lbs
FO54	180,000	54"W x 54"D x 18 ½"H*	30"W	17"L x 15"D	144 lbs
FO60	290,000	60"W x 60"D x 18 ½"H*	36"W	21 ½"L x 21 ½"D	166 lbs

<sup>\*</sup>Front Elevation: 19 3/4" to Top of Burner

- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

#### OCTAGON FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition and 2 vents. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FO42NG	FO42LP	42" Octagon Fire Pit w/ CFB120	36 lbs	120,000	\$2,307
FO54NG	FO54LP	54" Octagon Fire Pit w/ CFB180	57 lbs	180,000	\$2,752
FO60NG*	FO60LP*	60" Octagon Fire Pit w/ CFB290	81 lbs	290,000	\$3,425

#### **UPGRAGED IGNITION SYSTEMS**

<sup>\*</sup>For Covers, see page 51

Item No - NG	Item No - LP	Description	Capacity	Max BTU's	Retail
P24VIK-SCCG-NG*	P24VIK-SCCG-LP*	Electronic Ignition Kit	Standard	290,000	\$1,845
P24VIK-HCCG-NG*	P24VIK-HCCG-LP*	Electronic Ignition Kit	High	512,000	\$1,995
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket (for easy mounting of your PBIK)			\$136

#### **MEDIA & ACCESSORIES**

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1"- 1 ½"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 124K BTU's. For use with a 20 lb LP tank)				





1" - 1½"

LP Regulator with Hose LPRH

<sup>\*</sup>All RTF Kits with Electronic Ignitions will ship FOB Colorado.

<sup>\*</sup>All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.

For Wind Guards, see page 54.

<sup>\*</sup>Special Order

### RECTANGLE FIRE PIT KITS

#### WITH LINEAR BURNER







72" X 42"

**SPECIFICATIONS** (See page 56 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	<b>Burner Dimensions</b>	Weight
FR4830	110,000	48"W x 30"D x 18 ½"H*	28"W x 10"D	22"L	113 lbs
FR6036	150,000	60"W x 36"D x 18 ½"H*	38"W x 14"D	30"L	144 lbs
FR7242	210,000	72"W x 42"D x 18 ½"H*	48"W x 18"D	42"L	181 lbs

<sup>\*</sup>Front Elevation: 19 ¾" to Top of Burner

- For outdoor/exterior use only.
- Modification of product will void any certification and
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

#### RECTANGLE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition and 2 vents. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	<b>Lava Rock Required</b>	BTU's	Retail
FR4830NG	FR4830LP	48" x 30" Linear Rectangle w/ CFBL110	29 lbs	110,000	\$2,366
FR6036NG	FR6036LP	60" x 36" Linear Rectangle w/ CFBL150	50 lbs	150,000	\$3,038
FR7242NG	FR7242LP	72" x 42" Linear Rectangle w/ CFBL210	68 lbs	210,000	\$3,253

#### **UPGRAGED IGNITION SYSTEMS**

<sup>\*</sup>For Covers, see page 51

Item No - NG	Item No - LP	Description	Capacity	Max BTU's	Retail
P24VIK-SCCG-NG*	P24VIK-SCCG-LP*	Electronic Ignition Kit	Standard	290,000	\$1,845
P24VIK-HCCG-NG*	P24VIK-HCCG-LP*	Electronic Ignition Kit	High	512,000	\$1,995
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket (for easy mounting of your PBIK)			\$136

#### **MEDIA & ACCESSORIES**

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1"- 1 ½"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 124K BTU's. For use with a 20 lb LP tank)				





1" - 1½"

LP Regulator with Hose I PRH

<sup>\*</sup>All RTF Kits with Electronic Ignitions will ship FOB Colorado.

<sup>\*</sup>All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.

For Wind Guards, see page 54.

<sup>\*</sup>Special Order

### **RECTANGLE FIRE PIT KITS**

#### WITH TREE-STYLE BURNER







60" X 36"



72" X 42"

#### **SPECIFICATIONS** (See page 56 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	<b>Burner Dimensions</b>	Weight
FRT4830	170,000	48"W x 30"D x 18 ½"H*	28"W x 10"D	22"L x 5 ¼"W	116 lbs
FRT6036	230,000	60"W x 36"D x 18 ½"H*	38"W x 14"D	30"L x 7 ¼"W	148 lbs
FRT7242	290,000	72"W x 42"D x 18 ½"H*	48"W x 18"D	38"L x 7 ¼"W	187 lbs

<sup>\*</sup>Front Elevation: 19 3/4" to Top of Burner

- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

#### RECTANGLE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition and 2 vents. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FRT4830NG	FRT4830LP	48" x 30" Tree Style Rectangle w/ CFBT170	29 lbs	170,000	\$2,810
FRT6036NG	FRT6036LP	60" x 36" Tree Style Rectangle w/ CFBT230	50 lbs	230,000	\$3,471
FRT7242NG	FRT7242LP	72" x 42" Tree Style Rectangle w/ CFBT290	68 lbs	290,000	\$3,904

#### **UPGRAGED IGNITION SYSTEMS**

<sup>\*</sup>For Covers, see page 51

Item No - NG	Item No - LP	Description	Capacity	Max BTU's	Retail
P24VIK-SCCG-NG*	P24VIK-SCCG-LP*	Electronic Ignition Kit	Standard	290,000	\$1,845
P24VIK-HCCG-NG*	P24VIK-HCCG-LP*	Electronic Ignition Kit	High	512,000	\$1,995
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket (for easy mounting of your PBIK)			\$136

#### **MEDIA & ACCESSORIES**

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1"- 1 ½"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 124K BTU's. For use with a 20 lb LP tank)				





BLR 1" - 1½"

LP Regulator with Hose LPRH

<sup>\*</sup>All RTF Kits with Electronic Ignitions will ship FOB Colorado.

<sup>\*</sup>All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.

For Wind Guards, see page 54.

# **SQUARE FIRE PIT KITS**



### **SPECIFICATIONS** (See page 56 for line drawing details.)

Model	BTU's	Overall Dimensions	Pan Dimensions	<b>Burner Dimensions</b>	Weight
FS3636	120,000	36"W x 36"D x 18 ½"H*	24"W x 24"D	13"L x 13"D	108 lbs
FS4848	180,000	48"W x 48"D x 18 ½"H*	30"W x 30"D	17"L x 15 "D	150 lbs
FS5454	290,000	54"W x 54"D x 18 ½"H*	36"W x 36"D	21 ½"L x 21 ½"D	174 lbs
FS6060	300,000	60"W x 60"D x 18 ½"H*	42"W x 42"D	30 ½"L x 30 ½"D	208 lbs

<sup>\*</sup>Front Elevation: 19 ¾" to Top of Burner

- For outdoor/exterior use only.
- Modification of product will void any certification and warranty.
- Follow all installation instructions and local codes.
- Recommended to be installed by a certified plumbing professional.
- All dimensions are true and reflect manufacturer's specifications as of the revision date.

#### SQUARE FIRE PIT KITS (Media Required)

Includes the key valve kit for match light ignition and 2 vents. Upgraded ignition systems available, see below.

Item No - NG	Item No - LP	Description	Lava Rock Required	BTU's	Retail
FS3636NG	FS3636LP	36" Square Fire Pit w/ CFB120	45 lbs	120,000	\$2,124
FS4848NG	FS4848LP	48" Square Fire Pit w/ CFB180	71 lbs	180,000	\$2,660
FS5454NG	FS5454LP	54" Square Fire Pit w/ CFB290	101 lbs	290,000	\$3,142
FS6060NG*	FS6060LP*	60" Square Fire Pit w/ CFB300	138 lbs	300,000	\$3,920

#### **UPGRAGED IGNITION SYSTEMS**

<sup>\*</sup>For Covers, see page 51

Item No - NG	Item No - LP	Description	Capacity	Max BTU's	Retail
P24VIK-SCCG-NG*	P24VIK-SCCG-LP*	Electronic Ignition Kit	Standard	290,000	\$1,845
P24VIK-HCCG-NG*	P24VIK-HCCG-LP*	Electronic Ignition Kit	High	512,000	\$1,995
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket (for easy mounting of your PBIK)			\$136

#### **MEDIA & ACCESSORIES**

Item No	Description	Color	Rock/Stone Size	Bag Size	Retail
BLR	Lava Rock	Black	1"- 1 ½"	40 lb	\$45
LPRH	LP Regulator with a 3/8" 10' Hose (Will only allow flow for up to 124K BTU's. For use with a 20 lb LP tank)				





BLR 1" - 1½"

LP Regulator with Hose LPRH

<sup>\*</sup>All RTF Kits with Electronic Ignitions will ship FOB Colorado.

<sup>\*</sup>All RTF Kits with 24V Premium Electronic Ignition Systems must be covered when not in use.

For Wind Guards, see page 54.

<sup>\*</sup>Special Order



We recommend you add a cover to any fire feature to prevent water build up in your gas lines. Water build up could cause issues in your fire pit performance. A cover is required with any Warming Trends system utilizing a 24V electronic ignition system. All covers are 1/8" thick Aluminum and Powder Coated Charcoal Gray with a UV protected paint.

**Note**: When using an electronic ignition system, or a push button ignition system, you must add a 2 ½" return to the cover. Please call Empire Distributing for pricing.

#### **CIRCULAR COVERS**

Item No	Description	For use with	Handles	Retail
SC26C-CG	26" Powder Coated Cover, Circular	FC42, FO42	2	\$244
SC32C-CG	32" Powder Coated Cover, Circular	FC54, FO54	2	\$321
SC38C-CG	38" Powder Coated Cover, Circular	FC60, FO60	2	\$462
SC50C-CG*	50" Powder Coated Cover, Circular (2 piece)	FC72	2	\$795



50" Circular Cover 2 piece

#### **SQUARE COVERS**

Item No	Description	For use with	Handles	Retail
SC26S-CG	26" Powder Coated Cover, Square	FS3636	2	\$244
SC32S-CG	32" Powder Coated Cover, Square	FS4848	2	\$321
SC38S-CG	38" Powder Coated Cover, Square	FS5454	2	\$462
SC44S-CG	44" Powder Coated Cover, Square	FS6060	2	\$618



quare Cove 1 piece

#### **RECTANGLE COVERS**

Ship FOB direct from manufacturer.

Item No	Description	For use with	Handles	Retail
SC3012R-CG*	30" x 12" Powder Coated Cover, Rectangle	FR4830, FRT4830	2	\$283
SC4016R-CG*	40" x 16" Powder Coated Cover, Rectangle	FR6036, FRT6036	2	\$283
SC5020R-CG*	50" x 20" Powder Coated Cover, Rectangle	FR7242, FRT7242	2	\$375



Rectangle Custom Cover 2 handle

<sup>\*</sup>Special Order

# **LAVA ROCKS & LOG SETS**

When using lava stone, double the recommended lava rock weight.

#### LAVA ROCK & STONE

Item No	Description	Rock/Stone Size	Bag Size	Manufacturer	Retail
BLR	Lava Rock, Black	1"- 1 ½"	40 lb	Warming Trends	\$45
LAVA-XXL-20	Lava Rock, XXL	4" - 6"	20 lb	Exotic Pebbles	\$59
NL-3050	Tumbled Lava Stone, Medium	1" - 2"	50 lb	Exotic Pebbles	\$105
NL-5080	Tumbled Lava Stone, Large	2" - 3"	50 lb	Exotic Pebbles	\$105
NL-7090	Tumbled Lava Stone, XXL	3" - 5"	50 lb	Exotic Pebbles	\$105







1" - 2"





1" - 1½"

NL-5080 2" - 3"

NL-7090 3" - 5"

#### **REFRACTORY LOG SETS**



4" - 6"

Outdoor fire pit log sets.

Item No	Description	Pieces	Fire Pan Inside Dimensions	Retail
WCS2006FL	20" Wilderness Char	6	18" - 24"	\$220
WCS3010FL	30" Wilderness Char	10	24" - 40"	\$645
WCS5019FL	50" Wilderness Char	19	40" - 60"	\$1,244
WOS3008FL	30" Wilderness Oak	8	24" - 40"	\$416
WOS5014FL	50" Wilderness Oak	14	40" - 60"	\$812







Wilderness Oak Fire Pit Log Set

### **FIREGLASS**

When using glass, double the recommended lava rock weight.



#### REFLECTIVE FIREGLASS 1/2" Crushed

Item No	Description	<b>Tub Size</b>	Retail
EFG-R03M	Black Reflective	12 lb	\$67
EG25-R03MP	Black Reflective	25 lb	\$130
EFG-R05M	Bronze Reflective	12 lb	\$67
EG25-R05MP	Bronze Reflective	25 lb	\$130
EFG-R02M	Cobalt Blue Reflective	12 lb	\$67
EG25-R02MP	Cobalt Blue Reflective	25 lb	\$130
EFG-R01M	Copper Reflective	12 lb	\$67
EG25-R01MP	Copper Reflective	25 lb	\$130
EFG-R06M	Gold Reflective	12 lb	\$72
EG25-R06MP	Gold Reflective	25 lb	\$139
EFG-R04M	Sky Blue Reflective	12 lb	\$67
EG25-R04MP	Sky Blue Reflective	25 lb	\$130
EFG-R09M	Silver Reflective	12 lb	\$67
EG25-R09MP	Silver Reflective	25 lb	\$130
EFG-R12M	Tahiti Teal Reflective	12 lb	\$67
EG25-R12MP	Tahiti Teal Reflective	25 lb	\$130



### CLASSIC FIREGLASS ½" - ¾" Crushed

Item No	Description	Tub Size	Retail
EFG-C12M	Amber Classic	12lb	\$67
EG25-L12MP	Amber Classic	25 lb	\$130
EFG-C02M	Black Classic	12 lb	\$67
EG25-L02MP	Black Classic	25 lb	\$130
EFG-C13M	Cobalt Blue Classic	12 lb	\$67
EG25-L13MP	Cobalt Blue Classic	25 lb	\$130
EFG-C01M	Ice Clear Classic	12 lb	\$67
EG25-L01MP	Ice Clear Classic	25 lb	\$130
EFG-C05M	Ocean Blue Classic	12 lb	\$67
EG25-L05MP	Ocean Blue Classic	25 lb	\$130
EFG-C04M	Turquoise Classic	12 lb	\$67
EG25-L04MP	Turquoise Classic	25 lb	\$130



#### **ZIRCON** Luster

Item No	Description	Tub Size	Retail
ZIR-BLKDMDLST	Black Diamond Luster	10 lb	\$51
ZIR-MIDBLLST	Midnight Blue Luster	10 lb	\$51
ZIR-PWDBLLST	Powder Blue Luster	10 lb	\$51
ZIR-RNDRPLST	Rain Drop Luster	10 lb	\$51





Fire Pit Flame Guards provide an additional safety barrier, help maintain a central flame during the evening breeze, all while providing an enhanced fire elegance by reflecting the flames on the glass surfaces. Made from tempered glass, all our Fire Pit Flame Guards are heat resistant with polished edges, and designed for use with any fire pit.



LINEAR		Inside Assembled		
Item No	Description	Dimension (LxWxH)	For use with	Retail
FG-LCB-30	Linear Glass Wind Guard	35.5" x 11.5" x 6"	FRT4830   FR4830	\$179

#### **RECTANGLE**

ILUIANULL	•	<b>Inside Assembled</b>		
Item No	Description	Dimension (LxWxH)	For use with	Retail
FG-AFPP-24	Rectangular Glass Wind Guard	29.5" x 13.5" x 6"	FRT4830   FR4830	\$189
FG-AFPP-36	Rectangular Glass Wind Guard	41.5" x 17.5" x 6"	FRT6036   FR6036	\$219
FG-AFPP-48	Rectangular Glass Wind Guard	53.5" x 19.5" x 6"	FRT7242   FR7242	\$229

#### **SQUARE**

		mside Assembled		
Item No	Description	Dimension (LxWxH)	For use with	Retail
FG-SQP-24	Square Glass Wind Guard	29.5" x 29.5" x 6"	FS3636	\$189
FG-SQP-30	Square Glass Wind Guard	35.5" x 35.5" x 6"	FS4848	\$199
FG-SQP-36	Square Glass Wind Guard	41.5" x 41.5" x 6"	FS5454	\$219

#### **ROUND**

		inside Assembled		
Item No	Description	Dimension (WxH)	For use with	Retail
FG-RSP-25	Round Glass Wind Guard	29" x 8"	FO42   FC42	\$399

### WIND GUARD CLIPS

(For use with 1/8" glass. Glass not included)

Item No	Description	Retail
GC-90KIT	Wind Guard Clips (Includes: 8 clips to complete square or rectangle wind guard 36" or smaller per side. Glass not included)	\$33
GCS-90KIT	Wind Guard Clips (Includes: 12 clips to complete square or rectangle wind guard 37" or longer per side. Glass not included)	\$39

<sup>\*</sup>Special Order






GCS-90 Kit (12 pc)


# FIRE PIT KITS DIMENSIONS

#### **CIRCLE & OCTAGON**


### **CIRCLE**




42" Top Elevation



54" Top Elevation




60" Top Elevation




72" Top Elevation


#### **OCTAGON**



42" Top Elevation



54" Top Elevation




60" Top Elevation


## FIRE PIT KITS DIMENSIONS

**RECTANGLE & SQUARE** 


#### **RECTANGLE - LINEAR BURNER**



48" Top Elevation




60" Top Elevation




72" Top Elevation


#### **RECTANGLE - TREE STYLE BURNER**



48" Top Elevation




60" Top Elevation




72" Top Elevation


#### **SQUARE**




36" Top Elevation



48" Top Elevation



54" Top Elevation



60" Top Elevation